



SITE PLAN PACKAGE

TO THE APPLICANT:

Except for individual single-family home construction, a site plan is required for all site construction, including new buildings, additions, remodeling, and site renovations. The entire process, from initial submission to final approval (including bond approval) takes approximately six months. Some applications will be processed in a shorter time period, some longer, depending on the complexity of the project.

The site plan review process is initiated by the applicant's pre-submission meeting with staff, followed by submission of a complete site plan and review fee. The submitted site plan is reviewed for Code compliance and then returned to the applicant for corrections. After review of the site plan, the applicant will be advised of any additional approvals that may be needed to support the project (Special Exceptions, Variances, Special Use Permits, or Subdivision actions). All architectural and landscape features, and in certain instances signage, must be approved by the Board of Architectural Review, prior to completing the plan review process. Subsequent to first submission, the applicant shall work directly with Fairfax Water to obtain their approval.

When all additionally required approvals have been obtained, the site plan can be submitted for final review. Bond and site agreements, clearing and grading permit applications, erosion and siltation agreements, and all other improvement bonds, agreements, and fees must be submitted with the final plan. The site plan will be approved by the Zoning Administrator and released to the applicant when it is technically correct and all bonding and fee requirements are met. Building permits can be released once bonding is complete.

Upon satisfactory completion of construction, a Residential Use & Occupancy or Commercial Use & Occupancy Permit may be obtained. Bonds will be released after an as-built plan and a warranty bond are submitted, reviewed, and approved. The warranty bond will be released after passing final site inspection pending completion of the bond release process including the final site inspection of all warranty improvements.

The attached explanatory materials regarding the site plan review process will assist in preparation of your plan. If you have questions pertaining to the process, please contact the Department of Community Development and Planning – Zoning Division at 703-385-7820.

The City of Fairfax is committed to the letter and spirit of the Americans with Disabilities Act. To request a reasonable accommodation for any type of disability, please call 703-385-7930, (TTY 711)

CONTENTS

Guide to Site Plan review process
Site Plan Application Form
Agent Authorization Form
Site Plan Signature Block
Site Plan Checklist
Site Plan Notes
Fee Calculation sheet
VSMP Fee Sheet & Checklist
 see <http://fairfaxva.gov/government/public-works/stormwater-and-floodplain-management/virginia-stormwater-management-program-vsmp- Water>
 Quality Impact Assessment & Waiver Application
Grading Permit Application
Digital Data Submission Requirements for GIS.....
Surety Value Estimate.....

 see <http://fairfaxva.gov/home/showdocument?id=4353>
Fire Marshal Information

IMPORTANT PHONE NUMBERS

Fairfax Water	703-289-6363
Facilities Inspector	703-385-7828
Fire Marshal/Building Official	703-385-7830
Health Department	703-246-2541
Planning Director	703-385-7930
Public Works Director	703-385-7810
Site Plan Coordinator	703-385-7820
Street Superintendent	703-385-7893
Zoning Administrator	703-385-7820
Board of Architectural Review	703-385-7930

PLEASE NOTE: Failure to obtain City approval for changes to an approved Site Plan or to install improvements and facilities according to the City approved plan **could result in civil penalty fines and other legal remedies** available to the City.

APPLICANT'S GUIDE FOR SITE PLAN REVIEW AND BOND RELEASE PROCESS

Submit all Site Plans, applications and bonding documents to:

City of Fairfax
City Hall Annex, Room 207A
Department of Community Development and Planning
Zoning Division
10455 Armstrong Street
Fairfax, VA 22030

STAGE I PRE-SUBMISSION CONTACT

- * All applicants must contact the Deputy Zoning Administrator-Plans at 703-385-7820 prior to submission of the site plan application and plans to discuss the proposed scope and filing requirements. **Projects are not accepted for review without the pre-submission contact.**

STAGE II APPLICATION SUBMISSION

- * Applications for site plan review that contain the following items with fees are acceptable for

Intake Processing:

- A. Site Plan Application
 - B. Agent Letter (if applicant is not the property owner; also put on cover sheet)
 - C. Submission Fee Worksheet
 - D. Site Plan Checklist
 - E. LEED Checklist
 - F. Water Quality Impact Assessment & Waiver Application
 - G. Plans (with copy of signature block on cover sheet) (each submission 12 paper copies and "pdf" electronic format)
 - H. VSMP Package
- * Where applicable, any Special Exception, Variance and Special Use Permit approvals by City Council or the Board of Zoning Appeals must be obtained prior to site plan submission. The specific application requirements, forms and fees for these approvals are available from the City's website www.fairfaxva.gov or Zoning Division staff.

STAGE III SITE PLAN REVIEW

- * Site plans are circulated to the plan review staff in the following City departments: Community Development and Planning, Public Works, Code Administration, Real Estate and any other department that may need to provide staff review comments. First submission plans are forwarded to Fairfax Water for review.
- * Review comments are compiled by the Site Plan Coordinator and sent to the applicant's representative for consideration. The applicant's response (in letter format) to staff's comments must accompany all site plan resubmissions. Subsequent to first submission, the applicant shall work directly with Fairfax Water to obtain signature approval.

Department of Community Development and Planning
City of Fairfax, Virginia

Revised: October 1, 2016

- * Architectural review and approval for building designs, landscaping and screening for all zoning districts except (single-family residences outside of a Historic District or Transition District).
- * Any plats associated with the site plan (such as easement plat or consolidation plat) would generally be submitted with the second submission of the site plan. The specific application requirements, forms and fees for these approvals are available from the Zoning Division staff. These plats should be recorded in the Land Records prior to construction.
- * Building construction plans may be submitted to the Office of Code Administration for review and consultation with the Plan Review prior to site plan approval. **Applications for building permits will not receive Zoning compliance endorsement until the final site plan has been approved and bonding completed.**
- * Staff will notify the applicant's representative when signature submission of the site plan is authorized. Signature submission shall include a separate disc with the site plan and plat in "dxf" format for entry into the City's GIS database. (Additional information regarding "dxf" format is available from the City's GIS Manager, 703-246-6331.)
- * Documents such as bond and site agreements, clearing and grading permits, tree removal permits, floodplain permit, stormwater detention/best management practices maintenance agreements, and siltation agreements and any associated fees may be submitted at any time. The approved site plan will not be released until all the requirements of the Bond Submission package have been satisfied.
- * Building permits may be issued by the Office of Code Administration and street opening permits may be issued by the Department of Public Works **after the final site plan is approved and bonding is complete.**

STAGE IV CONSTRUCTION

- * A pre-construction meeting is required before ANY activity takes place on site. It is recommended that a preconstruction meeting be scheduled at least one (1) week in advance of planned start of any site activity. To schedule a preconstruction meeting, contact the Facilities Inspectors at 703-385-7828. **Failure to schedule a pre-construction meeting prior to site activity will result in a Stop Work Order by the Facilities Inspector and/or Building Code Inspector.**
- * Written notices providing information to residents in the affected area (in most cases, one block from the construction activity) must be delivered one week before the beginning of construction activity and three days prior to any disturbance of utilities. The Facilities Inspector must be copied on all notices and a list of addresses that received notices must be provided.
- * Following a preconstruction meeting, limited clearing is allowed for installation of erosion and sediment controls.
- * Inspection of installed erosion and sediment controls and construction entrance is required before approval is given to begin land clearing activities.
- * Construction noise is allowed only between the hours of 7:00 AM and 6:00 PM on weekdays and 8:30 AM and 5:00 PM on Saturday **ONLY**. No construction noise is allowed during Sunday, evening/night hours and public holidays.

- * Work hours in the Right-of-Way are from 9:00 AM to 3:00 PM on weekdays, or as outlined in the approved ROW/Easement Permit.
- * Right-of-Way and On-Site Construction Inspection Fees are billed at the beginning of the project. A Right-of-Way/Easement Permit is required prior to starting work in any City Right-of-Way or Easement. Each road cut requires a separate traffic control plan for the particular work zone. Payment must be received for Right-of-Way and On-Site Construction Inspection Fees before a ROW/Easement Permit will be issued.
- * All site construction is monitored for adherence to requirements by the Facilities Inspector until the project is complete. Building construction is monitored by the Building Inspector from Code Administration.

STAGE V BOND ADMINISTRATION

- * To assist in completion of the remainder of this process, a Bonding Release package may be found on the City website (www.fairfaxva.gov).
- * Bond reductions may be requested as the project progresses up to 80% maximum reduction of the original site bond amount. A written request for bond reduction must be submitted on company letterhead, accompanied by completed amounts as certified on the City of Fairfax Surety Value Estimate form, and associated fees paid.
- * At the satisfactory completion of site improvements and/or within 30 days of the issuance of the permanent or temporary Certificate of Occupancy from the Office of Fire Code Administration, an as-built plan, formal written request (on company letterhead) for release of the site and siltation bonds and associated fees must be submitted to the City Development Bond Administrator for agency review.
- * After approval of the as-built plan, a two-year warranty bond must be submitted for approval with the associated surety review fee. The original site and siltation bonds will then be returned to the applicant.
- * A Residential Use & Occupancy or Commercial Use & Occupancy Permit will be issued upon satisfactory compliance with all required improvements to provide safe public and emergency access.
- * Approximately three (3) months prior to warranty bond expiration, a letter from the City Development Bond Administrator will be mailed to the applicant; however this may be initiated by the bonding agent for the developer no sooner than three (3) months prior to warranty bond expiration.
- * The applicant will then be instructed to submit a formal request in writing (on company letterhead) for release of the warranty bond and pay the associated bond release fee. This request must be made prior to the expiration of the warranty bond.
- * Upon satisfactory inspection by the City Public Works Department Facilities Inspector, the original warranty bond will then be returned to the applicant.

VI CHANGES TO APPROVED SITE PLANS

- * Revisions to an approved site plan still under bond will be processed as a Site Plan Revision.
- * Final Design plans by **Virginia Power** for electric service must have **City Staff authorization prior to installation.**
- * **Failure to obtain City approval of any changes or to install improvements and facilities according to the City approved plan may result in civil penalty fines and other legal remedies available to the City.**



Application #: _____

SITE PLAN APPLICATION

- NON REFUNDABLE FEE -

- Major
- Minor
- Amendment
- Revision to Bonded Site Plan
- Plan of Development

1. JOB LOCATION INFORMATION:

Job Location Address _____

Project Name _____

Tax Map # _____

2. APPLICANT INFORMATION:

Name _____

Address _____

Phone _____ Email _____

3. PROPERTY OWNER INFORMATION: (Same as Applicant)

Name _____

Address _____

Phone _____ Email _____

4. ENGINEER, SURVEYOR or LANDSCAPE ARCHITECT: (Same as Applicant)

Name _____

Address _____

Phone _____ Email _____

THE SITE PLAN CHECKLIST MUST BE COMPLETED AND CERTIFIED BY THE APPLICANT'S ENGINEER

*****OFFICE USE ONLY*****

Receipt # _____

Fee Paid: _____

PAGE IS INTENTIONALLY LEFT BLANK

AGENT AUTHORIZATION LETTER

To Whom IT May Concern:

I/We, _____, the undersigned title owner(s) of the property identified below do hereby authorize _____ of _____, to act as my/our agent(s) in the furtherance of an application for a _____ on my/our property located at:

Tax Map No: _____

Thank you in advance for your cooperation.

Date: _____

By: _____

COMMONWEALTH/STATE OF: _____

CITY/COUNTY: _____, TO WIT:

The forgoing instrument was acknowledged before me this _____ day of _____.

20____, by _____.

Notary Public (Signature)

AFFIX NOTARY SEAL/STAMP

Notary Registration No: _____

My Commission Expires: _____

ALL TITLE OWNERS MUST SIGN IN PRESENCE OF NOTARY. IF THERE IS MORE THAN ON OWNER, FILL OUT MULTIPLE APPLICATIONS

PAGE IS INTENTIONALLY LEFT BLANK

City of Fairfax
APPROVED SITE PLAN

Zoning Official

Date

Review approval by:

_____ **Fire Marshal (for water distribution system
& fire hydrant location)**
_____ **Fairfax Water**

_____ **Director CDP**

_____ **Director of Public Works**

_____ **City Engineer**

_____ **PW Plan Reviewer**

_____ **Code Admin. Asst. Chief**

_____ **Site Plan Coordinator**

_____ **BAR Liaison**

_____ **Environmental Reviewer**

_____ **Wastewater Reviewer**

_____ **GIS Manager**

_____ **Bonding Administrator**

Date

PAGE IS INTENTIONALLY LEFT BLANK

CITY OF FAIRFAX

Site Plan Checklist and Certification Statement

The following affidavit and checklist must be printed on the cover page and signed by a certified engineer, architect or land surveyor.

Certification for Completeness and Accuracy

I _____ do hereby certify that this site plan checklist is complete and accurate for use in staff's evaluation of the attached site plan that is required pursuant to Section 110-6.8 in the Code of the City of Fairfax.

(signature) _____ (date) _____

(SEAL)

Site Plan Checklist

All site plans must contain the following checklist information **IN THE ORDER PRESCRIBED HEREIN**. If a checklist item does not apply please indicate "N/A" and explain in "Remarks" column. If an item is located on a different page than expected, note the page under "Remarks".

COVER PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Engineer's name, address and phone number	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location map at a scale not less than 1"=2000', indicating scaled coordinates and landmark information such as names of roads and water bodies.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tax Map Number, Property Address, Project Name and Sheet Index	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Seal and Signature of a professional engineer or other certified professional	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Name and address of owner, developer and contract purchaser (if any).	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proposed floor area ratio and maximum permitted.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Area of parcel in square feet and acres	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Deed book and page numbers	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Disturbed area in square feet or acres	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Number and type of dwelling units and allowed density (if applicable)	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Number of parking and loading spaces required and proposed	_____

Department of Community Development and Planning
City of Fairfax, Virginia

Revised: October 1, 2016

- Land use actions granted or requested for. _____
- North arrow on all plan drawings and maps _____
- Scale of each drawing, map or plan _____

{*Denotes items that are required in digital format “dxf” for purpose of updating the City’s GIS data.}

COVER PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Date and preparation and revisions.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proposed gross floor area and the area of the above grade horizontal surface of any parking structure.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landscaped open space required and proposed, zoning classification, use group classification and type of construction(Uniform Statewide Building Code).	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Certificate signed by the surveyor or engineer setting forth the source of title of the Owner of the parcel(s) and the place of record of the last instrument in the chain of Title.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Agent Authorization Statement (printed on plan cover sheet with signature)	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	City Signature Block	_____

NOTES AND DOCUMENTATION PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Documentation of approvals granted by City Council, Planning Commission, Board of Zoning Appeals, Board of Architectural Review or any other agency.	_____

EXISTING CONDITIONS PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Boundary of the entire property or properties.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Horizontal dimensions in feet and decimal fractions of a foot to the closest .00-foot and all bearings in degrees, minutes, and seconds to the nearest 10 seconds.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of easements required for the development.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Certified topographic map of the property at a two-foot contour interval, showing existing contours and delineating the 100-year floodplain elevation.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USGS datum used for all deviations with location and elevation benchmarks. (Should be NAD 83 for horizontal and NGVD29 for vertical).	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Locations and sizes of existing:	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fire lanes, "no parking", reserved parking and ADA parking.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Structures and their distance to property lines and center lines of adjacent streets.	_____

EXISTING CONDITIONS PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Public streets, sidewalks, bike trails and easements on and adjacent to the site with rights-of-way, width of pavement, curbs, gutters, medians indicated, profiles, typical sections and pavement design.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Driveways and curb cuts on the site and adjacent properties (indicate sight distances for driveways entering public streets).	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Parking and loading spaces, related driveways, walkways, drive-aisles and pavement types.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Recreation areas.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fences, retaining walls and other similar structures with height.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Guardrails, posts and other edge delineators.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Street and site lighting indicating all fixture styles, overall height, type of luminaire and footcandle and uniformity values.	_____

- Traffic controls. _____
- Provisions for refuse disposal and recycling and required screening. _____
- Stormwater management facilities including all structures (pipes, inlets, drains, grates, etc) elevations, profiles, connections to existing facilities, ground clearance, detailed design of non-standard structures, calculations for pipe capacity, detention, retention facilities and BMP's. _____
- Water and sanitary sewer facilities, including all structures (fire hydrants, meters, manholes, etc.), sizes and types of pipes, elevations, profiles, ground clearance and connections to public utility systems. (Indicate water pressure and flow capability, static pressure, residual pressure and flow in gallons per minute) _____
- Underground and overhead electric, telephone, cable, computer, gas lines and equipment. _____
- Angles of bulk plane where minimum angles of bulk plane are controlled by Zoning regulations. _____
- Landscaping including a tree inventory with each tree's caliper size labeled. _____

SITE PLAN PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	* Boundary of the entire property or properties.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Horizontal dimensions in feet and decimal fractions of a foot to the closest .00-foot and all bearings in degrees, minutes, and seconds to the nearest 10 seconds.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Delineation of buildable area on each lot (show RPA boundaries, minimum required yard setbacks, floodplain limits and easements).	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of easements required for the development.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Certified topographic map of the property at a two-foot contour interval, showing existing and proposed contours and delineating the 100-year floodplain elevation.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USGS datum used for all deviations with location and elevation of benchmarks.	_____

- Proposed elevations at control points necessary to evaluate plan. _____
- Locations and sizes of proposed: _____
- Fire lanes, “no parking”, reserved parking and ADA parking. _____
- * Structures and their distance to property lines and center lines of adjacent streets. _____
- * Public streets, sidewalks, bike trails and easements on and adjacent to the site with rights-of-way, width of pavement, curbs, gutters, medians indicated. Profiles, typical sections and pavement design. _____
- * Driveways and curb cuts on the site and adjacent property (indicate sight distances for driveways entering public streets). _____
- * Parking and loading spaces, related driveways, truck turning radius, walkways, drive aisles and pavement types. _____
- Recreation areas. _____
- Fences, retaining walls and other similar structures, including an elevation drawing. _____
- Guardrails, posts and other edge delineators. _____
- Street and site lighting indicating all fixture styles, overall height, type of luminaire, and foot-candle and uniformity values. _____
- Traffic controls and truck routes. _____
- Provisions for refuse disposal and recycling, and required screening. _____

{*Denotes items that are required in digital format “dxf” for purpose of updating the City’s GIS data.}

SITE PLAN PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Storm water management facilities including all structures (pipes, inlets, drains, grates, etc.) elevations, profiles, connections to existing facilities, ground clearance, detailed design of non-standard structures, calculations for pipe capacity, and detention facilities and/or BMPs must be shown on the Storm Water Management and Water Quality Plan pages.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	* Water and sanitary sewer facilities, including all structures (fire hydrants, meters, manholes, etc.), sizes and types of pipes, elevations, profiles, ground	_____

clearance, and connections to public utility systems. Indicate water pressure and flow capability, static pressure, residual pressure, and flow in gallons per minute must be shown on the Utilities Plan Page (s).

- * Underground and overhead electric, telephone, television, computer gas lines and equipment
- Angles of bulk plane where minimum angles of bulk plane are controlled by zoning regulation.
- Vertical cross-sectional view showing height of proposed structures, number of stories, location and access to underground parking, and proposed elevation of each floor, including basements.
- Landscape materials, including a tree management proposal, showing existing and proposed vegetation with each tree's caliper size labeled.

{*Denotes items that are required in digital format “dxf” for purpose of updating the City’s GIS data.}

STORM WATER MANAGEMENT PLAN PAGE(S):

Yes	No	N/A	Description	Remarks
Narrative:				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contact information including the name, address, and telephone number of the owner and the tax reference number and parcel number of the property or properties affected	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Description of current site conditions and final site conditions	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Information on type and location of stormwater discharges	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Information on the features to which stormwater is being discharged, including water bodies classified as impaired on the Virginia DEQ 303(d) list	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Information on any additional control measures to be implemented to address a local TMDL	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A general description of the proposed stormwater management facilities and the mechanism through which the facilities will be operated and maintained after construction is complete	

Site Information:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Existing drainage facilities and creeks and channels, including all streams, ponds, culverts, ditches, wetlands, other water bodies, and floodplains	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Soil types, geologic formations if karst features are present in the area, forest cover, and other vegetative areas	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current land use including existing structures, roads, and locations of known utilities and easements	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sufficient information on adjoining parcels to assess the impacts of stormwater from the site on these parcels	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The limits of clearing and grading, and the proposed drainage patterns on the site	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proposed buildings, roads, parking areas, utilities, and stormwater management facilities	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proposed land use with tabulation of the percentage of surface area to be adapted to various uses, including but not limited to planned locations of utilities, roads, and easements	

Hydrologic Analysis:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	*Pre-development and post-development contributing drainage areas	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pre-development and post-development runoff rates, volumes, and velocities, and methodologies used	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pollution load and reduction requirements and calculations	_____

Hydraulic Analysis:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sizing calculations for stormwater control measures	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Existing and proposed structural elevations (pipe inverts, manholes, etc.)	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stage-storage or outlet rating curves and inflow and outflow hydrographs for storage facilities	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Design water surface elevations	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Analysis of potential downstream impacts/effects of the project	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location and elevation of the lowest floor in all proposed and existing buildings adjacent to the floodplain	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dam safety and breach analysis	_____

Best Management Practices (BMPs):

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type of facilities proposed (use BMP Clearinghouse names)	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location, including geographic coordinates (Lat/Long)	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Total acres treated	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Acres impervious treated	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Acres pervious treated	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Documentation and calculations verifying compliance with water quality and quantity requirements	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Applicable supporting documents and studies (e.g., infiltration tests, geotechnical investigations)	_____

- Landscaping plan for any BMPs or site reforestation

{*Denotes items that are required in digital format “dxf” for purpose of updating the City’s GIS data.}

Piped Systems:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Analyzed and designed for 2/10-yr/25-yr/100-yr Storm Primary road crossings designed for 25-yr flows and 10-yr under secondary roads and other locations	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Culverts checked for the effects of 100-yr storm. No flooding of building structures shall result from 100-yr design flow	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Energy dissipater calculations	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Capacity of receiving channel downstream of channel or pipe system	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gutter spread limited to 10ft from the face of the curb	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hydraulic grade lines show 1ft below inlets	<hr/>

Open Channel Systems:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proposed channel capacity analyzed and designed for pre 10-yr storm	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Channel designed for 2-yr Storm without erosion and 10-yr for bank fill (liner design)	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Velocity Check (liners provided, if needed) Provide channel velocities.	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Overlot grading plan.	<hr/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Provide 100-yr overland relief assuming pipe system failure.	<hr/>

CHESAPEAKE BAY REGULATIONS PLAN PAGE:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For any property depicted on the city's Chesapeake Bay preservation area map as a resource protection area, applicant shall determine and show on the plan the site-specific boundaries of the RPA components per code section 110-6.13.2.B.2 The applicant shall also submit a RPA site-specific study application available at the Zoning Division or at: http://www.fairfaxva.gov/cdp/docs/RPASiteSpecificStudyApplication.pdf	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USACE jurisdictional determination or verification letter for RPA boundaries	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water quality impact assessment is required for any proposed development or redevelopment unless the requirement is waived by the Zoning Administrator. Application/waiver form is available at the Planning counter or at: http://www.fairfaxva.gov/cdp/docs/WQIAApplication.pdf	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tree management plan per code section 110-6.13.2.A	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stormwater Management Plan	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BMP maintenance plan, including inspection schedule	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BMP maintenance agreement (available at Planning counter)	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Copies of any required wetland permits.	

Performance Standards of Chesapeake Bay Regulations:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Maximize rainwater infiltration.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reduce the land application of nutrients and toxics.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimize erosion and sedimentation potential.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Limit land disturbance and preserve indigenous vegetation to the maximum extent practicable, consistent with the use or development proposed	

EROSION AND SEDIMENT CONTROL PLAN PAGE:

Yes	No	N/A	Description	Remarks
An erosion and sediment control plan including:				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Limits of clearing and grading.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Existing drainage patterns.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Critical erosion areas.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Locations of erosion and sediment controls and stormwater management practices to be used.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Any off-site land-disturbing activities.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Detail drawings of structures to be used.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	A schedule of regular inspections and maintenance.	_____

Erosion and sediment control narrative including descriptions of:

Yes	No	N/A	Description	Remarks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Project.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Existing topography, vegetation and drainage	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show all off-site drainage areas that flow to or from the site.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Neighboring areas such as streams, lakes, residential areas, roads, and the like that might be affected by the land disturbance.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Any off-site land-disturbing activities.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Soils, including names, mapping unit, erodibility, permeability, depth, texture and soil structure.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Areas on the site that have potentially serious erosion problems.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Methods which will be used to control erosion and sedimentation.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Specifics regarding permanent stabilization of the site.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Increases in stormwater runoff and strategies to control runoff.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Design of temporary sediment basins, permanent stormwater detention basins, diversions, channels, and the like, including calculations supporting proposed	_____

- design and for pre- and post-development runoff. _____
- Maintenance plan for E&S control. _____
- List minimum E&S standards 1 through 19 and how they are met. _____

LANDSCAPING PLAN PAGE:

Yes	No	N/A	Description	Remarks
			The following data in tabular form:	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tabulation of tree canopy on the site at 10-year maturity and minimum required.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required number of landscaped parking islands.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Buffer requirements- include fence detail and dumpster screening.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Planting plan with City details from PFM.	_____

FIRE LANE PLAN PAGE:

Yes	No	N/A	Description	Remarks
			A fire protection plan including:	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location, width and radius of all existing and proposed fire lanes.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location of all fire lane signage.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location of all structures, denoting area, height, use group, construction type and sprinkler system if present.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location of alarm annunciator, if present, and key repository.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location of all existing and proposed fire hydrants, including connection to water mains.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Location of all existing and proposed fire lanes and fire department connections including identification.	_____
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fire flow data, showing flow available at 20 PSI residual.	_____

CITY OF FAIRFAX

NOTES TO BE INCLUDED ON THE SITE PLAN

PERMITS

1. A street opening permit is required for any work in a City right-of-way or easement. The permit can be obtained from the Public Works Department. For information, call 703-385-7980 or 703-385-7810.
2. All sidewalks, curbs, gutters, driveways, streets, storm pipes, sanitary sewer, endwalls and rip-raps must be inspected by the City. All work in the City streets will be performed Monday-Friday between the hours of 9:00 a.m. and 3:00 p.m. No work is to be performed on weekends or holidays unless pre-approved by the Director of Public Works.
3. Inspections performed by the Facilities Inspector will require a four-hour notice prior to inspections.

GENERAL STANDARDS

1. The Public Works Director must be notified one week prior to pre-construction conference, one week prior to commencement of land disturbing activity and one week prior to final inspection. The Site Plan Coordinator in Zoning (703-385-7820) must be notified one week prior to the pre-construction conference.
2. A preconstruction meeting will be required three days prior to any construction. Contractors will notify the Public Works Department or Facilities Inspector for all work done on site and off site one day prior to starting.
3. The contractor shall provide adequate means for parking construction equipment and provide employee parking on site.
4. All construction shall conform to the latest City of Fairfax standards, Virginia Department of Transportation and the Virginia Sediment & Erosion Control current specifications, except as shown or altered by these plans.
5. Traffic signs found to be in the way at construction sites shall be removed or relocated only by personnel in the Sign & Signal Crew of the Public Works Department at the contractor's request. Any contractor found responsible for moving City property without permission will receive a summons.
6. All building construction shall be in accordance with the current edition of the Virginia Uniform Statewide Building Code. Permits and inspections for building, electrical, plumbing, mechanical and fire protection work are obtained from the Office of Code Administration, 703-385-7830.

7. Private fire mains require a permit from the Office of Code Administration. Permit application must include details of installation as specified in NFPA-24. An approved site plan is not a permit to install fire mains.
8. No portion of any building shall be occupied until a certificate of occupancy has been issued by the Building Official and a use permit by the Office of Community Development & Planning.
9. No building, except additions or accessories to existing dwellings, shall proceed beyond first floor level until the location of the footing and walls as shown on a plat certified by a land surveyor has been approved by the Zoning Administrator.
10. An as-built plan must be submitted within 30 days after completion of all construction.
11. Temporary structures, construction trailers and demolition require permits from the Office of Code Administration prior to start of work or installation.
12. Adequate emergency vehicle access shall be maintained at all times. A hard surfaced, all-weather roadway shall be provided to within 50 feet of all structures and any location where combustible materials are stored.
13. City ordinance permits construction noise, including excavation, between the hours of 7:00 am and 6:00 pm on weekdays and 8:30 am and 5:00 pm on Saturdays ONLY. It shall be the responsibility of the developer to ensure that all contractors and subcontractors comply with this ordinance.
14. The Developer shall be responsible for ensuring compliance with City Code sections limiting growth of grass and weeds to six inches in height.

CONSTRUCTION

1. All subgrade and sub-base material shall be compacted to 95% of theoretical maximum density as determined by A.A.S.H.O. T-99 method A within plus or minus 20% of optimum moisture for the full width of any dedicated right-of-way and all townhouse, apartment, condominium, commercial and industrial parking lots (including storm sewer and sanitary sewer).
2. Compaction test shall be performed by the contractor. Subgrade for curb, gutter and sidewalk shall be every 50 feet; sub-base will be alternated every 25 feet. Driveways require two tests on subgrade and sub-base. Copy of results is required prior to placing any type of material. VTM-1 correction also must be used. All structures require two tests on subgrade and sub-base.
3. Compaction tests for roadways shall be performed by the City only, unless approved by the Public Works Director. Compaction tests for all building pads must be submitted to the office of Code Administration for review and approval.

4. All underground utilities within the street right-of-way shall be installed to the required distance beyond the right-of-way.
5. Storm sewer and culvert pipe shall be reinforced concrete pipe to conform to the current A.A.S.H.T.O. designation M170, unless otherwise designated on the plans. Class II pipe is permitted beyond the limits of street rights-of-way. Class III pipe is required within the limits of the rights-of way.
6. All curb and gutter shown on plans and not in profiles shall be on straight tangent grades. The contractor shall round all vertical breaks with smooth spline curbs.
7. All pavement placed on City right-of-way shall have a mix design approved prior to placing material and a density test performed during placement.
8. Street signs and markings shall be installed by the developer at all street intersections in a location to be determined by the Director of Public Works. Private access ways and alleys shall be clearly designated as such by a sign at every entrance from a public street, stating "private street, privately owned and privately maintained". All street markings and signage will conform to City of Fairfax standards and the Manual of Uniform Traffic Control, per the Street Superintendent.
9. C.B.R. test is required for actual determination of required sub-base thickness prior to construction. Depth of sub-base is based on subgrade C.B.R. value of 10. Where C.B.R. value is less than 10, one-inch of sub-base or base material shall be added for each point below 10 for on-site and off-site and shall be reviewed by the City of Fairfax for special design.
10. All construction must comply to the Code of Virginia 36-98 and 36-99 by reference as part of the Uniform Statewide Building Code of Virginia, the final fair housing accessibility guidelines (24 CFR Chapter I) and the Americans with Disabilities Act accessibility guidelines (28 CFR, part 36) as per site and right-of-way work compliance.
11. Provide proper distance from back of sidewalk to building for stoops and steps, and the like.
12. All roofs, paved areas, yards, courts and courtyards shall be drained into a separate storm sewer or a combined sewer system.

ENVIRONMENTAL

1. All erosion siltation control to be installed prior to starting project to conform to the current Virginia Erosion and Sediment Control Manual.
2. The contractor shall provide adequate means of cleaning mud from trucks and/or other equipment prior to entering the City of Fairfax rights-of-way. It is the contractor's responsibility to clean streets and allay dust and to take whatever measures necessary to ensure that the road is maintained in a clean and dust-free condition at all times.
3. It shall be the contractor's responsibility to perform the work in such a manner to prevent the washing of any topsoil, silt, or debris onto adjacent properties.
4. If the presence of asbestos is suspected in the soil, the contractor must contact the Air Pollution Control Division of the Fairfax County Health Department at 703-246-2300.
5. Onsite storage of fuel shall be limited to diesel fuel tanks not over 660 gallons capacity. Tanks shall be of a listed type and shall be provided with approved secondary containment, impact protection and placarding. A minimum 2A-40BC fire extinguisher shall be provided in the vicinity of the refueling area. A permit for combustible liquid storage shall be obtained from the Office of Code Administration, 703-385-7830. Fuel shall not be placed in onsite storage tanks until the installation has been inspected and approved.
6. Onsite repair of vehicles and equipment shall be limited to replacement of damaged belts, hoses and tires. Any spill of fuel, oil, hydraulic fluid or anti-freeze greater than one gallon must be reported to the Office of Code Administration at 703-385-7830. All spills must be cleaned up promptly and in an approved manner.
7. The Owner shall be responsible for ensuring compliance with City Code sections regarding health and safety menaces, including accumulations of water, storage of material, construction debris and security of the site.
8. The link to the asbestos information and map on the Fairfax County website <http://www.fairfaxcounty.gov/hd/asb/>
- 9. Prior to the start of any site grading work, the developer or owner shall obtain a Virginia Stormwater Management Program (VSMP) permit from the City of Fairfax. The VSMP permit requires that a Stormwater Pollution Prevention Plan (SWPPP) be kept at the construction site at all times.**

LANDSCAPE

1. The area surrounding all trees, shrubs and groundcover shall be topped with two inches of shredded hardwood bark mulch.
2. No changes shall be permitted to the plant list unless approved by the City of Fairfax.

3. Trees shall be classified as per "American Standard for Nursery Stock" as adopted by the American Association of Nurserymen. Plant material below this standard shall not be considered.
 - a) All plants must conform to requirements per plant list;
 - b) All plant materials must be nursery grown stock;
 - c) All trees must be well branched, full crown.
4. At least 5 days before being planted, the Site Plan Coordinator shall be notified that plants are available for inspection.
5. No person shall remove or destroy any tree which is five (5) inches or greater in caliper, measured six (6) inches above ground level, on any lot greater than one-half (1/2) acre without first obtaining a tree removal permit from the Zoning Administrator. Any tree removed, damaged or destroyed will be replaced at the discretion of the Zoning Administrator.

DEPARTMENT OF PUBLIC WORKS SANITARY SEWER STANDARD NOTES
GENERAL

1. All sanitary sewers shall be constructed in accordance with the current City of Fairfax Standards and Specifications.
2. Easements for all sanitary shall be 10' unless otherwise noted.
3. Sanitary sewers and water mains shall maintain a minimum of 15' horizontal separation from proposed or existing buildings.
4. No landscaping or other utilities (i.e. gas, phone, cable, etc.) are permitted in the sewer easements, except at crossings.
5. Contractor shall request pre-construction meeting and inspection by the Department of Public Works (703-385-7810) three days prior to commencing construction of any sewer mains.
6. A permit for installation of sanitary sewers and fire hydrants shall be obtained from the Department of Public Works.
7. Sewer laterals not within an easement require plumbing permits and inspections from the Office of Code Administration. The inclusion of these items does not constitute a permit.

SANITARY SEWER:

1. Sanitary sewers shall be PVC DR-25 per AWWA C-900, unless otherwise noted.
2. Sanitary sewer laterals shall be 4" PVC DR-25 between the main and the property line and shall enter the main at 90 degrees. A cleanout shall be installed at the property line.
3. A 2" detectable metal marking tape shall be placed 3-feet above all sanitary sewers.
4. The Department of Public Works shall inspect sanitary sewers by a camera after the lines are put in service.
5. Finish grade shall drain away from manholes located outside of pavement areas.
6. Top of manholes located outside of pavement areas shall be 3" above final grade, except in established lawns where it shall match the final grade.
7. Manholes shall have bituminous coating on the outside walls.
8. All sanitary manhole lids shall be heavy duty and shall have the words "Fairfax City Sewer" cast in them.
9. Drop manholes shall have an 8" inside drop pipe.
10. Manholes in 100 yr. Flood plain shall have watertight lids.
11. All testing is provided by the contractor, as directed by the city inspector.



CITY OF FAIRFAX

NOTES TO BE INCLUDED ON THE SITE PLAN

NOTES TO BE INCLUDED ON RESIDENTIAL PLANS

No building shall proceed beyond the first floor level until the horizontal location and elevation of the top of each foundation wall as shown by certified surveyor's plat thereof, has been approved by the Zoning Administrator.

It shall be the developers and/or owners responsibility to perform the work in such a manner to prevent the washing of topsoil, silt, or debris onto adjacent properties.

It shall be unlawful for any person to engage in land disturbing activities of two thousand five hundred (2,500) square feet or more for any purpose until a permit is issued by the plan-approving authority.

All Erosion Control to be installed prior to starting project to conform to the current Virginia Erosion Control Manual.

A street opening permit is required for any work in the City right-of-way or easement. The permit can be obtained from the Public Works Department. For information call 703-385-7983 or 703-385-7828.

All on-site utilities shall be installed underground in accordance with city and applicable utility company standards.

No portion of the building shall be occupied until a Residential Use & Occupancy has been issued by the Zoning Administrator.

The developer shall provide adequate means of cleaning mud from trucks and/or equipment prior to entering the City of Fairfax rights-of-way. It is the developer's responsibility to clean streets and to take measures necessary to ensure that the road is maintained in clean and dust-free condition at all times.

The developer shall provide for adequate storm drainage so that the proposed improvement of the property does not direct concentrated flow to adjoining properties. The drainage shall be approved by the City Building Inspector and Facilities Inspector prior to issuing the occupancy permit.

Each development shall provide for the planting or retention of trees on the site to the extent that, at a maturity of ten years, the minimum tree canopy shall be twenty-five (25) percent for a site zoned RL and shall be twenty (20) percent for a site zoned RM, RH or PD-R.

Any application proposing to remove or destroy existing trees in conjunction with any land development activity shall submit a tree management plan containing such information as deemed necessary by the zoning administrator (Sec. 110-4.5.9.D.1)

PAGE IS INTENTIONALLY LEFT BLANK



Application #: _____

SITE PLAN FEE CALCULATION SHEET

- NON REFUNDABLE FEE -

Project Name: _____

<u>Site Plan Review Fees (# 316462)</u>			
<u>Category</u>	<u>Rate</u>	<u>Measurements</u>	<u>Fee</u>
Base Fee	Major- \$7,000.00, Minor - \$3,000.00, Amendment - \$1,200.00		
	Revision-\$575.00, Plan of Development-\$525.00		_____
Second and Subsequent Resubmissions	\$575.00 each additional submission		_____
Bituminous Surface	\$0.46/sq.yd.	_____	_____
Sidewalk	\$0.81/lin.ft.	_____	_____
Curb & Gutter	\$0.81/lin.ft.	_____	_____
Header Curb	\$0.81/lin.ft.	_____	_____
Storm Drainage	\$4.05/lin.ft.	_____	_____
Sanitary Sewer	\$2.10/lin.ft.	_____	_____
Water	\$2.10/lin.ft.	_____	_____
Required Screening	\$2.10/lin.ft.	_____	_____
Overlot Grading	\$230 per division of land or disturbed acre or fraction thereof (whichever is greater);	_____	_____
Tree Management	\$115.00 per division of land or disturbed acre or fraction thereof (whichever is greater)	_____	_____
Water Quality Impact Assessment Review	\$350.00 (\$115.00 per individual residential lot)	_____	_____
Site Plan Review Fee Total			_____

-Continued on Next Page-

FEES:

Erosion & Sediment Plan Review (#313310)

Base fee of \$575.00 up to 1/2 acre of disturbed land, **Acres:** _____ **Fee:\$** _____

Each inspection is \$150.00

Base fee of \$575.00 plus \$105.00 per acre or fraction thereof, **Acres:** _____ **Fee:\$** _____

_____ Each inspection is \$150.00

Reinspection following violation @ \$250.00; \$350. if a stop work order has been issued (per inspection)

After-Hours Inspection fee @\$260.00/hour + \$65/ each additional hour

Overtime Related to Inspections @ 150.00/hour

Rescheduling fee for site inspection \$50.00

RPA delineation/determination \$290.00

=====

Surety Review (#316466)

Performance bond, letter of credit, cash escrow:

Less than \$100,000	\$290.00 each	_____
\$100,001-300,000	\$575.00 each	_____
> \$300,000	\$840.00 each	_____
Request for reduction	\$2290.00each	_____
Request for replacement/Release	\$290.00 each	_____

=====

TOTAL REVIEW FEE: _____

Fee computed by: _____ Date _____

Name and Title

*Please review City fee schedule for additional fees that may apply to your project.



Application #: _____

WATER QUALITY IMPACT ASSESSMENT (WOIA) APPLICATION

Single Family Residential \$ 115.00 / Other: \$ 350.00

- NON REFUNDABLE FEE -

1. JOB LOCATION INFORMATION:

Job Location Address _____

Project Name _____

Tax Map # _____

2. APPLICANT INFORMATION:

Name _____

Address _____

Phone _____ Email _____

3. PROPERTY OWNER INFORMATION: (Same as Applicant)

Name _____

Address _____

Phone _____ Email _____

4. LAND SURVEYOR: (Same as Applicant)

Name _____

Address _____

Phone _____ Email _____

5. WETLANDS EXPERT: (Same as Applicant)

Name _____

Address _____

Phone _____ Email _____

-Continued on Next Page-

The City of Fairfax is committed to the letter and spirit of the Americans with Disabilities Act. To request a reasonable accommodation for any type of disability, please call 703-385-7930, (TTY 711)

The Water Quality Impact Assessment is conducted to identify the impacts of proposed development on water quality and lands within resource protection and resource management areas; to ensure that where development does take place it is located on those portions of a site and in a manner that is least disruptive to the natural functions of the land and to specify mitigation measures to address water quality protection.

The applicant shall submit a WQIA in accordance with §110-4.18.8.B for:

1. Any proposed land disturbance , development or redevelopment within a resource protection area including any buffer area modification or reduction as provided for in §110-4.18.7; or
2. Any proposed development or redevelopment in the resource management area that may significantly impact water quality due to the unique characteristics of the site or intensity of the proposed use or development, as determined by the zoning administrator in accordance with §110-4.18 and §110-4.18.4.D

I. Development Characteristics

You must submit either a minor or major WQIA for your project unless you receive a waiver. The below conditions will determine whether you submit a major or minor WQIA.

Submit a **Minor WQIA** if you answer “Yes” to either of these development characteristics (§110-4.18.8.C)

_____ 5,000 square feet of disturbance or less

_____ Encroachment onto the landward 50 feet of the 100-foot buffer area (**Skip to**

Section III, Minor WQIA Requirements)

Submit a **Major WQIA** if you answer “Yes” to any of these development characteristics (§110-4.18.8.D)

_____ Over 5,000 square feet of disturbance

_____ Encroachment onto the seaward 50 feet of the 100-foot RPA buffer area

_____ Location in the resource management area and is deemed necessary by the Zoning Administrator.

(Skip to Section IV, Major WQIA Requirements)

II. WQIA Waivers

_____ Check here if you plan to submit a WQIA waiver request.

To submit a WQIA waiver request, attach a report detailing how the proposed development or redevelopment does not significantly impact water quality.

III. Minor WQIA Requirements (§110-4.18.8.C)

The minor WQIA calculations will demonstrate that the remaining buffer area and best management practices will result in removal of no less than 75 percent of sediments and 40 percent of nutrients from post development stormwater runoff.

Requirements for a minor WQIA scaled site drawing include:

- 1) Location of the components of any RPA, including the 100 foot buffer area;
- 2) Location and nature of proposed improvements, including:
 - a. Type of paving material;
 - b. Areas of clearing or grading;
 - c. Location of any structures, drives, or other impervious cover; and
 - d. Sewage disposal systems or reserve drain field sites;
- 3) Type and location of proposed best management practices to meet the required general performance standards specified in §110-4.18.7;
- 4) Location of existing vegetation on site, including the number and type of trees and other vegetation to be removed to accommodate the encroachment or modification; and
- 5) A revegetation plan that supplements the existing buffer vegetation in a manner that provides for pollutant removal, erosion and runoff control.
- 6) Certification of all required information as complete and accurate by a Class IIIB certified land surveyor and professional wetlands delineator.

IV. Major WQIA Requirements (§110-4.18.8.D)

Requirements for a major WQIA include:

- 1) All of the information required in a minor WQIA (Section III above);
- 2) Hydrological element that describes:
 - a. Existing topography;
 - b. Estimates of soil characteristics and potential for erosion;
 - c. Hydrology of the area;
 - d. Impacts on wetlands and streams;
 - e. Proposed mitigation measures; and
 - f. A listing of requisite permits with permit or application status.

- 3) Landscape element that fully describes:
 - a. Existing trees required to be identified as part of a Tree Management Plan in accordance with subsection §110-4.5.9.D.1;
 - b. Limits of clearing and grading;
 - c. Trees and indigenous vegetation that are to be preserved within the disturbed area;
 - d. Measures to be taken to protect vegetation, proposed plantings and other vegetative measures used to enhance water quality; and
 - e. A proposed construction schedule that includes all activities related to clearing, grading and proposed plantings.
- 4) Such other measures as deemed necessary by the Zoning Administrator to ensure the impact to water quality can be accurately predicted; and
- 5) Certification of all required information as complete and accurate by a Class IIIB certified land surveyor and professional wetlands delineator.

V. Evaluation Procedure (§110-4.18.8.F)

Minor WQIA

The Zoning Administrator shall determine if any proposed modification or reduction to the buffer area is consistent with the provisions of this division and make a finding based upon the following criteria:

4.18.8.F.1	Minor WQIA Criteria	Satisfied (Y/N)
a.	The proposed encroachment is necessary and there is no other location on site to place improvements without disturbing the buffer area.	
b.	The impervious surface is minimized.	
c.	The proposed best management practices, where required, achieve the requisite reductions in pollutant loadings.	
d.	The development, as proposed, meets the purpose and intent of §110-4.18	
e.	The cumulative impact of the proposed development, when considered in relation to other development in the vicinity, both existing and proposed, will not result in a significant degradation of water quality.	
f.	Any other information deemed necessary by the Zoning Administrator.	

PAGE IS INTENTIONALLY LEFT BLANK



Application #: _____

GRADING, FILLING OR EXCAVATING PERMIT APPLICATION

- NON REFUNDABLE FEE -

Project Name/Location: _____

Area of Disturbance: _____

----- **AUTHORIZATION STATEMENT** -----

Pursuant to City Code §110-6.12.2 and insofar as the Zoning Administrator has the right and power, PERMISSION is hereby given to (add name of land disturber) _____ Tel. No. _____

(o) _____ (c) _____ to grade, fill, excavate, remove or destruct a portion of the natural topsoil or trees or other vegetative cover as shown on the approved (check one) ___ Erosion and Sediment Control Plan, ___ Site Plan, ___ Subdivision Construction Plan.

Said grading, filling and excavating work to be completed in a manner satisfactory to the Administrator as inspected by the City's Site/Facilities Inspector, and if not so completed the Administrator may, at its discretion, complete the major work at the expense of the applicant. The Administrator may, at its discretion, issue civil penalty fines for work not completed according to the approved plan. The City of Fairfax reserves full municipal control over the subject matter of this permit.

Receipt acknowledges payment to the Treasurer, City of Fairfax, in the amount of \$ _____ (Inspection and Review fee) and \$ _____ (Performance Bond) to guarantee the faithful performance of the major work referred to herein.

----- **ACKNOWLEDGEMENT STATEMENT** -----

This permit is accepted and understood to be limited to work as shown on the approved plan and as attested to by the following signatures:

Property Owner Name: _____ Signature: _____

Address: _____ Zip Code _____

Email: _____

Contractor Name: _____ Signature: _____

Address: _____ Zip Code _____

Email: _____ Phone: _____

*****OFFICE USE ONLY*****

Associated Plan # _____

*****ZONING OFFICE APPROVAL SIGNATURE*****

This Application is Approved By _____ Date _____
Zoning Official

Time Limit Expiration _____

The City of Fairfax is committed to the letter and spirit of the Americans with Disabilities Act. To request a reasonable accommodation for any type of disability, please call 703-385-7930, (TTY 711)

PAGE IS INTENTIONALLY LEFT BLANK

City of Fairfax Digital Data Submission Requirements for GIS

Background:

The City of Fairfax has developed a geographic information system (GIS) to store, manage, and maintain geographic data. The local land development, engineering, and surveying communities have also embraced digital technologies in their own fields. Because development plans are now created using computer aided design and drafting (CAD) software, it is the goal of the City of Fairfax to utilize these techniques to enhance and expedite the design and plan review process within the City and help maintain a digital database of geographic information. For this, requirements have been implemented to allow CAD and other GIS data to be integrated into the City's GIS while preserving the referential and positional accuracy of the original measurements.

Requirements:

1. **Data *must* be in DXF format if from AutoCAD, Microstation or another Cad software program, or ESRI Shapefile if from a GIS software program. (DWG and DGN files will *not* be accepted)**
2. Data *must* be projected in Virginia State Plane North, NAD 83 Harn. Data *must* fit in seamlessly with City's GIS data layers.
3. Data *must* be separated into *individual* thematic layers and labeled accordingly.

Layers Required (project dependant)

Building footprints

Parking configuration (including islands, no parking stripes) (Commercial)

Driveways (Residential)

Street Centerlines

Parcel / Property boundaries

Utility Lines (sewer, water, electric, gas, fiber optic cable, phone lines, etc.)

Sidewalks

Easements

Landscaping/tree cover (post development)

Topography (to include vertical datum reference in National Geodetic Vertical Datum of 1929 (NGVD29)).

Minimum of four (4) digital grid tics in NAD 83 Virginia State Plane Coordinate System.

Right-of-way

Stormwater lines, structures, outlets

Best Management Practice (BMP) (include polygon showing drainage area to each BMP)


4. A text file or word document *must* accompany the digital data with a description of each layer. POCs for electronic plat submission requirements are with Maurice Rioux, GIS Manager with the Dept. of Information Technology at maurice.rioux@fairfaxva.gov

This information is also available on the City's website www.fairfaxva.gov/it/gis.asp



City of Fairfax
Department of Fire and Rescue Service
Office of Code Administration
10455 Armstrong Street
Fairfax VA, 22030

Bulletin



SECTION F-3.6 Fire Lanes and Emergency Access and Roadways and Special Provisions

F-3.6 Designation.

The fire official shall designate fire lanes on public streets and on private property where necessary to ensure that firefighting and rescue apparatus has the required access to fire department connections, buildings and structures. Fire lanes shall have a minimum width of eighteen (18) feet or wider. Fire lanes serving structures greater than 30 feet in height or schools shall have a minimum clear width of 22 feet. Approved road widths see table 3.5.2. "Dead end" fire lanes over 150 feet in length shall be provided with an approved turnaround. Approved turnarounds, see table 3.5.1. All curved sections of fire lanes shall have a minimum outside radius of 45 feet.

Fire lanes shall not exceed 10% slope in any direction. Pavement sections shall be designed to support vehicles weighing up to 75,000 pounds. Where gates are to be installed across a fire lane, the following conditions must be observed:

- The gates must be maintained in an operable condition or be fixed in the open position.
- A means of manually opening the gate in the event of power failure must be provided.
- A key operated switch to the satisfaction of the fire official must be provided.

Table 3.6.1 Approved turnaround

Length (feet)	Width (feet)	Turnarounds Required
0-150	20	None Required
150-500	20	120' hammerhead or 60' Y 96' diameter cul-de-sac
501-750	26	120' Hammerhead or 60' Y 96" diameter cul-de-sac
Over 750	Special approval required	

Table 3.6.2 Standard Fire and Emergency Access Roadway.

Standard Requirements for parking restrictions

Street Width Curb to Curb	One Way Traffic	Two Way Traffic
Less than 20'	No parallel parking on either side of the street	No parallel parking on either side of street
20' to 26'	Parallel parking on one side As decided by and approved by Fire Marshal	No Parallel parking on either side of street
26' to 32'	Parallel parking allowed both sides of street	Parallel parking on one side As approved and decided by Fire Marshal
32' or greater	Parallel parking allowed on both sides of street	Parallel parking allowed on both sides of street

F-3.6.3. Signs and markings.

The property owner or designee shall supply and install signs and other required markings to delineate fire lanes as directed by the fire official. The cost of which will be born by the property owner or designee.

F-3.6.4. Specifications.

Fire lanes shall conform to the following specifications:

Metal construction, dimensions twelve (12) inches by eighteen (18) inches. Red letters on a reflective white background with three- eighth's -inch red trim strip around the entire outer edge of the sign. Signs shall be mounted with the top of the signs seven (7) feet above grade.

Lettering size to be as follows:

"NO PARKING" - 2 inches,

"OR" - 1 inch,

"STANDING" - 2 inches,

"FIRE LANE" - 2 ½ inches,

Arrow's 1 inch solid, Spacing between words to be uniform.

Type "A"
arrow to the right



Type "B"
arrow to the left



Type "C"
arrows in both directions



Type "D" two signs back to back perpendicular to the street.

1. Other type signs or markings approved by the fire official.
2. Curbing shall be painted yellow within the limits of the fire lane.
3. Striping may be required to be marked as needed on the road surface.

Section F-3.6.5 Fire Lane restrictions

- (1) It shall be unlawful for any person to park in the designated and marked area, except for school buses that are in the process of receiving or discharging students as long as the bus driver remains with the bus at all times. For the purposes of this subsection, the term "park" shall mean the standing of a vehicle, whether occupied or not, except while obeying traffic regulations, signs or signals or except while involuntarily stopping because of causes beyond the control of the operator of the vehicle.
- (2) In any prosecution under this section, proof that the vehicle described in the complaint, summons or warrant was parked in violation of this code, together with proof that the defendant was at the time of such parking the registered owner of the vehicle, shall constitute a prima facie evidentiary presumption that such registered owner of the vehicle was the person who parked the vehicle at the place and at the time such violation occurred.
- (3) In addition, the vehicle parked in violation of this section may be impounded by the City of Fairfax Fire Marshal's Office, Fairfax Police Department or the city fire marshal's office and held until the penalty provided and the towing and storage charges incurred are paid.
- (4) This section shall be enforced by the city fire marshal or his staff and the city police department.
- (5) Penalty for violation of this section shall be a fine of fifty dollars (\$100.00) for each offense.

Section F-3.6.6 Existing signs.

It shall be unlawful for any person to deface, injure, tamper with, remove, destroy or impair the usefulness of any posted fire lane sign installed under the provisions of this code.